

K 1050-Series



ROTO-MOULD CHASSIS

practically indestructible plastic housing

CONVENIENT INTEGRATED HOSE REEL (TST)

space-saving storage of the high-pressure hose - with foldable crank

ACCESSORY STORAGE

neat storage for high pressure gun and lances

CARRY HANDLE

portable and space-saving compact design

OFF-ROAD CAPABILITY AND STABILITY


robust chassis for easy transport and high stability



K 1050 TST | 495101
K 1050 P | 49501

► **ACCESSORIES** | page 108

EQUIPMENT

-  Quick release plug-in system D10
- Kränzle axial pump
- Total-stop system
- Water inlet filter

MODELS

- K 1050 P - portable
- K 1050 TS - mobile with hose support
- K 1050 TST - mobile with hose drum





MODEL	K 1050 P	K 1050 TS	K 1050 TST
Ord.no.	49501	495051	495101

TECHNICAL SPECIFICATIONS

Model		portable	with hose holder	with hose drum
Operating pressure	bar MPa	130 13	130 13	130 13
Water output	l/min l/h	7.5 450	7.5 450	7.5 450
Admissible overpressure	bar MPa	160 16	160 16	160 16
Motor speed	Rpm	2800	2800	2800
Connection	V ~ Hz A	230 1 50 9.6	230 1 50 9.6	230 1 50 9.6
Power intake Power output	kW	2.2 1.65	2.2 1.65	2.2 1.65
Power supply cable	m	5	5	5
Dimensions L x W x H	mm	390 290 370	340 350 860	340 350 860
Weight	kg	21	23	26

EQUIPMENT

High-pressure hose	m Ord.no.	8 (DN6) 410541	8 (DN6) 410541	12 (DN6) 49116
Trigger gun with safety catch	Model Ord.no.	Starlet 4 12520	Starlet 4 12520	Starlet 4 12520
Lance with flat-jet nozzle	Nozzle Ord.no.	○ 03 12900-03	○ 03 12900-03	○ 03 12900-03
Lance with Dirtkiller	Nozzle Ord.no.	optional	○ 03 42403-03	○ 03 42403-03
Water inlet filter	Ord.no.	13311	13311	13311



FOR K 1050-SERIES AND QUICKLY



NEW



Starlet 4

For K 1050-Serie and Quickly
 ■ Inlet: M22x1.5 AG
 ■ Outlet: Plug-in connection D10

Ord.no.	12520
----------------	--------------



12900-03

Lance with flat jet nozzle

■ For normal dirt

Length	mm	Nozzle size	Ord.no.
400		⊙ 028	12900-028
400		○ 03	12900-03



42403-03

Dirtkiller lance

■ For stubborn dirt

Length	mm	Nozzle size	Ord.no.
400		⊙ 028	42403-028
400		○ 03	42403-03



Lance extension

■ Anti-twist protection

Ord.no.	12870
Length	mm 400



Round Cleaner UFO

Ord.no.	41870
∅	mm 260



Spray guard

■ Applicable for all washing lances

Ord.no.	132600
Dimensions LxW	mm 285x190



Rotating washing brush

■ Anti-twist protection

Ord.no.	12800
Brush head ∅	mm 180
Pipe length	mm 210



Pipe cleaning hose

Ord.no.	12850
Length	m 10



SPOT JET



FLAT-JET



125312

Foam lance

■ Adjustable from spot jet to flat jet

Ord.no. 1 Liter	135302
Ord.no. 2 Liter	135312



Kränzle Neutral

Universal cleaner for removal of strong contaminations
 ■ pH value**: 8,5

Container	Liter	Ord.no.
1		412710
5		412711



Kränzle Plus

Special cleaner to degrease and clean
 ■ pH value**: 10,5

Container	Liter	Ord.no.
5		412721
25		412722



Kränzle Marine

for cleaning motors
 ■ alkaline
 ■ pH value**: 11,0

Container	Liter	Ord.no.
5		412731
25		412732

**pH value: Undiluted. We recommend testing the cleaning agent on the surface to be cleaned before starting.